

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
28 November 2002 (28.11.2002)

PCT

(10) International Publication Number
WO 02/095099 A1

(51) International Patent Classification: D01F 9/12

(BR, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(21) International Application Number: PCT/US02/21626

(22) International Filing Date: 29 March 2002 (29.03.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Date:
60/280,605 29 March 2001 (29.03.2001) US

(71) Applicant (for all designated States except US): STANFORD UNIVERSITY (US/US); Office of Technology Licensing, 900 Welch Road, Suite 350, Palo Alto, CA 94304-7295 (US).

(71) Applicants and

(72) Inventors: DAI, Hongjie [CN/US]; 365 Pescadero Terrace, Sunnyvale, CA 94086 (US). CHEN, Robert, J. [US/US]; 125 S. California #D302, Palo Alto, CA 94306 (US).

(74) Agents: CRAWFORD, Robert, J. et al.; Crawford PLLC, 1270 Northland Drive, Suite 390, St. Paul, MN 55120 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GM, GR, GU, HK, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, VJ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(i)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GM, GR, GU, HK, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GM, GR, GU, HK, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— of inventorship (Rule 4.17(iv)) for US only

Published:

— with international search report

— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NONCOVALENT SIDEWALL FUNCTIONALIZATION OF CARBON NANOTUBES

(57) Abstract: Carbon nanotubes are functionalized in a broadly applicable manner. According to an example embodiment of the present invention, single-wall carbon nanotubes (SWNTs) are noncovalently functionalized. The functionalized SWNTs are highly versatile, being useful for a variety of implementations, including for the immobilization of molecules, for circuit arrangements, molecular electronics and for molecular sensors. In addition, stable suspensions of functionalized SWNTs in solutions can be achieved, as well as the self-assembly of nanotubes with unperturbed sp^2 structures and thus their electronic characteristics.

BEST AVAILABLE COPY

**NONCOVALENT SIDEWALL
FUNCTIONALIZATION OF CARBON NANOTUBES**

5

Related Patent Documents

This is a continuation of U.S. Provisional Patent Application Serial No. 60/280,605, filed on March 29, 2001 and entitled "Noncovalent Sidewall Functionalization of Single-Walled Carbon Nanotubes and Controlled Protein Immobilization," to which priority is claimed under 35 U.S.C. §120 for common subject matter. This patent document also relates to U.S.

- 10 Patent Application Serial No. 09/574,393 (STFD.019PA/S99-175), filed on May 19, 2000 and entitled "Carbon Nanotube Devices," which is a divisional/continuation-in-part of U.S. Patent Application Serial No. 09/133,948 (STFD.021PA/S98-049), filed on August 14, 1998 and entitled "Carbon Nanotube Structures Made Using Catalyst Islands," and which claims priority to U.S. Provisional Application Serial No. 60/171,200, filed on December 15, 1999, all of
- 15 which are fully incorporated herein by reference.

Federally Sponsored Research or Development

- Various aspect of this invention were made with support of the U.S. Government under
- 20 grant number ECS 9871947 from the National Science Foundation (NSF), and the U.S. Government has certain rights therein.

Field of the Invention

- The present invention relates generally to carbon nanotubes and more particularly to
- 25 functionalization of carbon nanotubes and related applications.

WO 02/095099

PCT/US02/21626

Background

Carbon nanotubes exhibit interesting and useful electrical properties, and may be utilized for a variety of devices. Single-walled carbon nanotubes (SWNTs), having single-molecule-thick walls, have been found to be particularly useful in a variety of implementations, including integrated molecular electronic devices and chemical sensors. These devices may be implemented, for example, in chemical and biological species detection and identification, microelectronics circuitry, medical devices, environmental monitoring, medical/clinical diagnosis and biotechnology for gene mapping and drug discovery. For general information regarding carbon nanotubes, and for specific information regarding SWNTs and its applications, reference may be made generally to the above-mentioned patent documents, and also to: "Carbon Nanotubes: Synthesis, Structure, Properties and Applications," M.S. Dresselhaus, G. Dresselhaus and Ph. Avouris (Eds.), Springer-Verlag Berlin Heidelberg, New York, 2001; and "T. Single-shell Carbon Nanotubes of 1-nm Diameter," Iijima, S. & Ichihashi, Nature 363, 603-605 (1993).

In these and other carbon nanotube implementations, nanotube devices exhibiting both high functionality and high flexibility are desirable. For instance, in electrical applications, the ability to manipulate electrical characteristics of a device to target the device's electrical behavior to a particular implementation increases the device's functionality and flexibility. Similarly, in chemical sensors, the ability to tailor a sensor for sensing a particular molecular species is also advantageous. In previous carbon nanotube implementations, however, achieving such high functionality and flexibility has been challenging.

Summary

The present invention is directed to the above-mentioned challenges and applications and others that relate to carbon nanotube devices and their implementation. The present invention is exemplified in a number of implementations and applications, some of which are summarized below.

According to an example embodiment, the present invention is directed to a carbon nanotube device having a functionalized carbon nanotube sidewall, with molecules noncovalently bonded to the sidewall.

According to another example embodiment, the present invention involves functionalizing a single-walled carbon nanotube (SWNT) by noncovalently bonding a first type of molecule to the SWNT sidewall, the noncovalently-bonded molecules being irreversibly adsorbed onto the sidewall of the SWNT. In this manner, the functionalized SWNT can be used to immobilize another molecule, such as a protein, various biological substances, polymerizable molecules and inorganic nanoparticles. With this other molecule being so immobilized on the functionalized SWNT, electrical responses of the SWNT can be used to characterize the immobilized molecule.

The above summary of the present invention is not intended to describe each illustrated embodiment or every implementation of the present invention. The figures and detailed description that follow more particularly exemplify these embodiments.

Brief Description of the Drawings

The invention may be more completely understood in consideration of the detailed description of various embodiments of the invention that follows in connection with the accompanying drawings, in which:

WO 02/095099

PCT/US02/21626

FIG. 1 is a carbon nanotube having molecules noncovalently bonded thereto, according to an example embodiment of the present invention;

FIG. 2 is a flow diagram for noncovalent sidewall functionalization and subsequent protein immobilization of a SWNT, according to another example embodiment of the present invention;

FIG. 3 is a system for functionalizing SWNTs and immobilizing molecules therewith, according to another example embodiment of the present invention; and

FIG. 4 is circuit arrangement having a functionalized carbon nanotube, according to another example embodiment of the present invention.

While the invention is amenable to various modifications and alternative forms, specifics thereof have been shown by way of example in the drawings and will be described in detail. It should be understood, however, that the intention is not to limit the invention to the particular embodiments described. On the contrary, the intention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention.

Detailed Description

The present invention is believed to be applicable to a variety of different types of devices, and the invention has been found to be advantageous for functionalizing carbon nanotubes in a manner that preserves their general electrical characteristics. While the present invention is not necessarily limited to such applications, various aspects of the invention may be appreciated through a discussion of various examples using this context.

According to an example embodiment of the present invention, a carbon nanotube is functionalized by noncovalently bonding molecules to a sidewall of the carbon nanotube, such as a SWNT. Such noncovalent SWNT sidewall functionalization preserves the sp^2 (electron

spin) nanotube structure and thus preserves electronic characteristics of the SWNT. In this regard, the present invention is particularly useful for a variety of nanotube implementations, including soluble nanotubes, nanotubes self-assembled on surfaces, nanotubes for immobilization of molecules, nanotubes for chemical sensors and nanotubes for molecular electronics.

In a more particular example embodiment of the present invention, the noncovalent sidewall functionalization is used for self-assembly of nanotubes with unperturbed sp² (electron spin) structures and electronic properties.

Consistent with the present invention, FIG. 1 shows a SWNT 105 having a plurality of noncovalently-bonded molecules 110, 112, 114 and 116, according to another example embodiment of the present invention. The noncovalently-bonded molecules are configured and arranged for bonding to additional molecules, such as biomolecules such as antibodies, antigens and DNA, polymerizable molecules, inorganic particles and proteins (e.g., metallothionein, streptavidin, ferritin, biotinyl-3, 6-dioxaoctanediamine (biotin-PEO-amine)), and various inorganic molecules that are electrically semi-conductive and therefore have interesting and useful electrical properties.

In one example implementation, molecule 116 is functionalized with a bifunctional molecule from a succinimidyl ester group that is highly reactive to nucleophilic substitution by primary and secondary amines that exist in abundance on the surface of most proteins. More specifically, the molecule 116 can be 1-pyrenebutanoic acid, succinimidyl ester (hereinafter referred to as "the first example combination"), available from Molecular Probes, Inc., USA, and is irreversibly adsorbed onto a hydrophobic surface 108 of the SWNT 105. The bifunctional molecule 116, from the pyrenyl group, is highly aromatic in nature and strongly interacts with the sidewalls of the SWNT, which makes the molecule highly stable against

WO 02/095099

PCT/US02/21626

desorption in aqueous solutions. Generally, molecules are irreversibly adsorbed onto the sidewall of the SWNT by one or more of various non-covalent forces such as van der Waals and hydrophobic interactions, and π -stacking. Due to the highly-aromatic characteristics of the pyrenyl group, as with the basal plane of graphite, the strong interaction with the SWNT
5 sidewalls is via π -stacking.

A protein molecule 120 is bonded to the bifunctional molecule 116 using nucleophilic substitution of N-hydroxysuccinimide by an amine group (NH_2) 122 on the protein, resulting in the formation of an amide bond. This technique enables the immobilization of a wide range of biomolecules on the sidewalls of SWNTs with high specificity and efficiency.

10 FIG. 2 is a flow diagram for immobilizing a protein with a SWNT, according to another example embodiment of the present invention. At block 210, a SWNT is incubated in a solution to noncovalently bond a bifunctional molecule thereto, thus functionalizing the SWNT (e.g., similar to SWNT 105 of FIG. 1). The functionalization is achieved using one or more of a variety of incubation solutions, such as an organic solvent dimethylformamide (DMF) or
15 methanol, with a functionalizing reagent therein. For instance, the functionalization of the SWNT 105 with molecule 116 in FIG. 1 can be achieved via incubation in a 1-pyrenebutanoic acid, succinimidyl ester solution (about 6 mM of the first example combination in DMF or about 1 mM in methanol) for 1 hour at room temperature. The functionalized SWNT is then rinsed at block 220 using, for example, pure DMF or methanol to wash away excess reagent.

20 For protein immobilization, the functionalized SWNT is incubated in an aqueous solution of protein at block 230, subsequently rinsed at block 240 and dried at block 250. Referring again to the SWNT 105 of FIG. 1, the protein 120 immobilization can be achieved via incubation at block 230 for about 18 hours at room temperature. After the protein

immobilization, the SWNT 105 is rinsed thoroughly in pure water for about 6 hours, and then dried.

In another example embodiment of the present invention, biotin-PEO-amine (available from Pierce Chemical, USA) is immobilized onto a SWNT at block 230. The incubation is carried out using an aqueous solution of biotin-PEO-amine (about 20 mg/mL) for about 18 hours to covalently link the biotin group to via an amide-forming reaction mechanism, similar to that discussed above. The SWNT is then exposed to a solution of streptavidin-Au conjugate to achieve streptavidin-biotin coupling, and subsequently rinsed and dried at blocks 240 and 250, respectively.

10 In still another example embodiment of the present invention, SWNTs formed using laser ablation are deposited onto a SiO₂ substrate from suspension in 1,2-dichloroethane (*e.g.*, about 1 mg of SWNT/10 mL of solvent). The substrate is then incubated in the first example combination (6 mM, in DMF) for 1 hour, rinsed thoroughly in pure DMF, exposed to a dilute ferritin solution (*e.g.*, about 10 µg/mL in a 15 µM NaCl solution) for about 18 hours, and then
15 rinsed in pure water for about 3 hours. This approach is effective in providing bonding to the SWNT and not to the substrate.

In another implementation, a bundle of SWNTs is functionalized at block 210. The SWNT bundle is similarly used to immobilize a protein at block 230. Because of concave regions formed between neighboring individual SWNTs, proteins can be readily anchored (or
20 immobilized) via noncovalent bonds with one or more SWNTs in the SWNT bundle.

The incubation and rinsing steps shown by way of example in FIG. 2 may be carried out using one or more of a variety of systems. FIG. 3 shows one such protein immobilization system 300, according to another example embodiment of the present invention. The system 300 includes four chambers 310, 320, 330 and 340, with each chamber being arranged to hold a

WO 02/095099

PCT/US02/21626

plurality of SWNTs, such as an array of SWNTs formed on a grid of catalyst over a substrate. Incubation station 310 is arranged to hold an aqueous solvent with a reagent suspended therein, which noncovalently bonds to and functionalizes the SWNTs. After incubation in station 310, station 320 is arranged to rinse SWNTs using, for example, a solvent as discussed above.

- 5 Station 330 also is arranged to hold an aqueous solution with molecules for immobilization using the functionalized SWNTs rinsed at station 320. Finally, station 340 is arranged for rinsing the functionalized SWNTs with immobilized molecules from station 330.

FIG. 4 is a circuit arrangement 400 with a functionalized SWNT 410, according to another example embodiment of the present invention. The circuit arrangement includes
10 circuitry 440 coupled via interconnects 430 and 432 to the SWNT 410 via electrodes 420 and 422. The electrodes are coupled to opposite ends of the SWNT 410, which is functionalized by molecules 412 that are noncovalently bonded thereto. The noncovalently bonded molecules 412 may, for example, be bonded to the SWNT using one or more of the implementations discussed herein. The functionalized SWNT 410 exhibits electrical characteristics that are a
15 function of the noncovalently-bonded molecules 412. In this regard, the selection of the molecules 412 is tailored to a desired electrical characteristic for the circuit arrangement.

In a more particular example embodiment (not shown), the circuit arrangement 400 further includes immobilized molecules coupled to the noncovalently-bonded molecules 412 of the functionalized SWNT 410. In this implementation, the immobilized molecules alter an
20 electrical characteristic of the SWNT, thus altering an electrical characteristic of the circuit arrangement 400. In one implementation, the type of immobilized molecule is selected for achieving the desired characteristics for the SWNT.

In another implementation, the circuit arrangement 400 is part of a sensor for detecting and identifying molecules via immobilization with the functionalized SWNT. The

noncovalently-bonded molecules 412 have a composition that selectively immobilizes one or more types of molecules. The circuitry 440, coupled across the SWNT 410 at electrodes 420 and 422, detects an electrical characteristic, or a change thereof, for the SWNT 410 in response to the immobilized molecule. The detected electrical characteristic is used to identify the composition of the immobilized molecule (e.g., by comparing the detected characteristic to a known response of the SWNT to particular molecules). For general information regarding carbon nanotubes, and for specific information regarding sensing molecules with a carbon nanotube, reference may be made to U.S. Provisional Patent Application Serial No. 60/335,306 (STFD.023P1/S01-208), filed on November 1, 2001, and entitled "Integrated Nanotube Sensor."

The various embodiments described above are provided by way of illustration only and should not be construed to limit the invention. Based on the above discussion and illustrations, those skilled in the art will readily recognize that various modifications and changes may be made to the present invention without strictly following the exemplary embodiments and applications illustrated and described herein. For instance, such changes may include modifying the carbon nanotubes for sensing one or more particular molecular species. Such modifications and changes do not depart from the true spirit and scope of the present invention. In addition, for general information regarding carbon nanotubes, and for specific information regarding carbon nanotube implementations that may be used in connection with the present invention, reference may be made to the attached Appendix which is part of the priority patent document entitled "Noncovalent Sidewall Functionalization of Single-Walled Carbon Nanotubes and Controlled Protein Immobilization," as well as to the above-mentioned patent document entitled "Integrated Nanotube Sensor" (STFD.023P1/S01-208), which are fully incorporated herein by reference.

WO 02/095099

PCT/US02/21626

What is claimed is:

- 1 1. A single-walled carbon nanotube (SWNT) device, comprising:
2 a carbon nanotube including a functionalized sidewall having molecules noncovalently
3 bonded thereto.
- 1 2. The carbon nanotube device of claim 1, wherein the noncovalently-bonded molecules
2 are irreversibly adsorbed onto the sidewall of the SWNT.
- 1 3. The carbon nanotube device of claim 2, wherein the noncovalently-bonded molecules
2 are irreversibly adsorbed onto the sidewall of the SWNT by at least one of a plurality of non-
3 covalent forces including: π -stacking, a van der Waals interaction, and a hydrophobic
4 interaction.
- 1 4. The carbon nanotube device of claim 3, wherein the molecules comprise proteins.
- 1 5. The carbon nanotube device of claim 3, further including a protein immobilized on the
2 sidewall of the SWNT.
- 1 6. The carbon nanotube device of claim 5, wherein the protein is immobilized on the
2 sidewall of the SWNT via an amide bond.
- 1 7. The carbon nanotube device of claim 5, wherein the protein is immobilized on the
2 sidewall of the SWNT via a nucleophilic substitution involving an amine group on the protein.

- 1 8. The carbon nanotube device of claim 5, wherein the protein is immobilized on the
2 sidewall of the SWNT via a nucleophilic substitution involving an amine group on the protein
3 to form an amide bond between the protein and the sidewall.
- 1 9. The carbon nanotube device of claim 1, further comprising circuitry electrically coupled
2 to the SWNT and configured and arranged detect an electrical response of the functionalized
3 SWNT.
- 1 10. The carbon nanotube device of claim 1, wherein the noncovalently-bonded molecule is
2 configured and arranged to alter an electrical characteristic of the SWNT.
- 1 11. The carbon nanotube device of claim 1, wherein the SWNT includes an unperturbed sp^2
2 structure.
- 1 12. The carbon nanotube device of claim 1, wherein the noncovalently-bonded molecules
2 are irreversibly adsorbed onto the sidewall of the SWNT, and wherein the molecules comprise
3 proteins.
- 1 13. The carbon nanotube device of claim 1, wherein the noncovalently-bonded molecules
2 are irreversibly adsorbed onto the sidewall of the SWNT, and wherein the molecules are
3 biological molecules selected from a group consisting of: antibodies, antigens, and DNA.

WO 02/095099

PCT/US02/21626

- 1 14. The carbon nanotube device of claim 1, wherein the noncovalently-bonded molecules
2 are irreversibly adsorbed onto the sidewall of the SWNT, and wherein the molecules comprise
3 polymerizable molecules.
- 1 15. The method of claim 1, wherein the noncovalently-bonded molecules are irreversibly
2 adsorbed onto the sidewall of the SWNT, and wherein the molecules comprise an inorganic
3 nanoparticle species.
- 1 16. The method of claim 1, wherein the noncovalently-bonded molecules are irreversibly
2 adsorbed onto the sidewall of the SWNT, and wherein the molecules comprise inorganic
3 molecules that are at least electrically semi-conductive.
- 1 17. A method for functionalizing a single-walled carbon nanotube (SWNT) device, the
2 method comprising:
3 noncovalently bonding molecules to a sidewall of the carbon nanotube.
- 1 18. The method of claim 17, further including causing a bond between the noncovalently-
2 bonded molecules and a protein via nucleophilic substitution by amines on the surface of the
3 protein.
- 1 19. The method of claim 17, further including immobilizing another type of molecule to the
2 noncovalently-bonded sidewall.
- 1 20. The method of claim 19, wherein the other type of molecule is a protein.


- 1 21. A method for functionalizing a single-walled carbon nanotube (SWNT), the method
2 comprising:
3 noncovalently bonding molecules of a first type to a sidewall of SWNT, the
4 noncovalently-bonded molecules being irreversibly adsorbed onto the sidewall of the SWNT.
- 1 22. The method of claim 21, wherein the first type of molecule is highly stable against
2 desorption in aqueous solutions.
- 1 23. The method of claim 22, further comprising causing a bond between the noncovalently-
2 bonded molecules and a protein via nucleophilic substitution by amines on the surface of the
3 protein.
- 1 24. The method of claim 23, further comprising detecting an electrical response of the
2 SWNT to the protein and using the detected electrical response to detect a characteristic of the
3 protein.
- 1 25. A method for using a single-walled carbon nanotube (SWNT), the method comprising:
2 providing a functionalized SWNT, the SWNT being functionalized in that molecules of
3 a first type are noncovalently bonded to a sidewall of SWNT, the noncovalently-bonded
4 molecules being irreversibly adsorbed onto the sidewall of the SWNT;
5 immobilizing a protein onto the functionalized SWNT.

WO 02/095099

PCT/US02/21626

- 1 26. The method of claim 25, wherein immobilizing protein onto the functionalized SWNT
2 includes forming an amide bond.
- 1 27. The method of claim 26, wherein providing a functionalized SWNT includes
2 noncovalently bonding a bifunctional molecule from the pyrenyl group.
- 1 28. The method of claim 27, wherein forming an amide bond includes nucleophilic
2 substitution of *N*-hydroxysuccinimide by an amine group on the protein.
- 1 29. A system for manufacturing a single-walled carbon nanotube (SWNT) device, the
2 system comprising:
3 means for noncovalently bonding a molecule onto a SWNT; and
4 means for bonding a second molecule to the noncovalently-bonded molecule.
- 1 30. A system for manufacturing a single-walled carbon nanotube (SWNT) device, the
2 system comprising:
3 an incubation chamber configured and arranged for noncovalently bonding a molecule
4 onto a SWNT; and
5 a second incubation chamber configured and arranged for bonding a second molecule to
6 the noncovalently-bonded molecule.
- 1 31. The system of claim 30, further comprising a rinse tank configured and arranged to rinse
2 the carbon nanotube.

1/4



WO 02/095099

PCT/US02/21626

2/4



FIG.2


FIG.3

WO 02/095099

PCT/US02/21626

4/4

FIG.4



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/21626

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : D01F 9/12
US CL : 423/447.1, 447.2

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
U.S. : 423/447.1, 447.2

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of documents, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6,159,742 A (LIEBER et al) 12 December 2000, column 4.	1-31

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

Special categories of cited documents:	
* "A" document defining the general state of the art which is not considered to be of particular relevance	"T" later documents published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
* "B" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
* "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" documents of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
* "O" document referring to an oral disclosure, use, exhibition or other means	"A" document member of the same patent family
* "P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

16 September 2002 (16.09.2002)

Name and mailing address of the ISA/US
Comptroller of Patents and Trademarks
Box PCT
Washington, D.C. 20231
Facsimile No. (703)305-3230

Date of mailing of the international search report

26 SEP 2002

Authorized officer

Stuart Hendrickson

Telephone No. 703-308-0661

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☒ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.